



जवाहरलाल नेहरू एल्युमिनियम अनुसंधान विकास एवं अभिकल्प केन्द्र, नागपुर

(स्वायत्त संस्थान, खान मंत्रालय, भारत सरकार के आधीन) अमरावती रोड, वाडी, नागपुर . ४४० ०२३ (भारत)

Jawaharlal Nehru Aluminium Research Development and Design Centre

(Autonomous Body Under Ministry of Mines, Government of India)

Amravati Road, Wadi, Nagpur - 440 023 (India)

दुरभाष / Phone : 07104 - 220763 (Direct) फैक्स / Fax : 07104 - 220942

ई मेल / Email : directjn_ngp@sancharnet.in वेबसाईट / Website : www.jnarddc.gov.in

Ref : 03/JNARDDC/S&P/2024-25/T-18(Vol-I)

30/04/2024

Subject: Invitation of sealed envelope quotation for “Renovation of existing Toilet in Director chamber”

Dear Sir,

The Centre is interested in the “Renovation of existing Toilet in Director chamber” in single bid system. Tender terms and conditions, scope of works/BoQ and price bid format is enclosed as annexure - A & B

Description of Item	Qty
Renovation of existing Toilet in Director chamber	Qty as per BoQ attached

Before submission of the bid , interested firm have option to visit the site to understand the works as per JNARDDC requirement.

The offers, in the prescribed format, shall be submitted in a single sealed envelope duly super scribed on top of the envelope as" **Renovation of existing Toilet in Director chamber**" as per the tender document. No tender will be accepted through, fax, e-mail or any other such means. The tender document is also available on JNARDDC website: <http://www.jnarddc.gov.in/>

EMD : NIL

Terms & Conditions and scope of works, price bid format is given in Annexure ‘A & B ’


Last date of receiving the bid : 15 May 2024 (15.00 Hrs)

Opening Date : 16 May 2024 (12.00 Hrs)

Bids should be submitted in sealed envelope/

Web Site: www.jnarddc.gov.in and Email: purchasejnarddcnagpur@gmail.com } - for complete details

सधन्यवाद ,

आपका आभारी,

(ललित मोहन)
सचिव खरीद एवं भंडार

ANNEXURE – A

Tender no : 03/JNARDDC/S&P/2024-25(Vol-I)

30/04/2024

Renovation of existing Toilet in Director chamber”

जवाहरलाल नेहरू एल्युमीनियम अनुसंधान विकास एवं अभिकल्प केन्द्र


स्वायत संस्थान, खान मंत्रालय, वाडी नागपुर

www.jnarddc.gov.in (07104-297014)

Standard Terms & Conditions of the Tender- 2023

1. Price bid with technical specifications(Brand name and other technical details) of items should be submitted in one (1) sealed envelopes failing which bid will be rejected. The envelopes should be super-scribed with the Tender number, name of items/works with due date. Bid to be dropped in tender box in JNARDDC security room.
2. If the bidder is not a registered vendor of JNARDDC, then the bidder should have following documents while submitting the offer which is compulsory for vendor registration with JNARDDC. (1) Shop & Establishment / Registration of company certificate / MSME-2006 (issuing certificate of registration for Micro / Macro / Small Scale Industries Certificates) / Certificate of Registration (2) PAN & GST No. (3) I/T Returns (4) Account No. of Firm.
3. Basic Price should be quoted in one currency only with all charges (i.e either in foreign currency or in Indian Rupees). Price bid should be quoted with bidder name and rubber stamped and signature . Price bid containing the basic price in multiple currencies will be rejected. Currency conversion rate on the date of opening of price bid will be considered for determining the L-1 party.
4. Order will be awarded to L-1 firms only.
5. Payment will be released within 30 days after completion of work and certified by the authorities of JNARDDC.
6. Deviation table should be enclosed to outline the deviation (if any) from the tendered technical specification in comparison to the bid quoted. Simply enclosing our spec sheet without providing any details may lead to rejection of the bid.
7. Validity of the Tender should be minimum up to 90 days .
8. Work should be completed within 30 days after awarding the work order.
9. LD clause is @ 0.5% of PO value for each week of delay in execution of work as per Work Order.
10. Warranty period : 01 Years of civil works and for other items and per manufacturers standard period .
11. Cost should be on Door delivery basis up to JNARDDC, Nagpur. All materials used to for the works should be branded.
12. During work if any loss or damage occurred to the property of JNARDDC, contractor has to pay the amount for loss and damage.

13. JNARDDC will have zero liability towards un-toward incident occurring during the work carried out at site.
14. JNARDDC will have no liability towards damage / theft / break down of the machineries/ hard-wares etc deployed by the bidder.
15. Bidder should visit to site before submitting the tender.
16. Price to be filled as per price bid enclosed to this tender.
17. Only GST as per Govt rules will be paid.
18. Split of works will not be applicable.
19. Price bid will be opened by purchase committee on the due date and time. Participated bidder can witness the bid opening .
20. **REPEAT ORDER** : If during the next 06 months from the date of awarding the work order , any same nature of work required by OWNER then CONTRACTOR has to carry out this work if OWNER place wok order to CONTRACTOR. The rates will be applied which are finalized in this tender . It is the purely the discretion of OWNER that he want to place the work order the repeat order basis.
21. **MSME Purchase preference** : GOI rules with reference to procurement policy for MSME GFR 2017 rules and public procurement (Preference to make in India) order 2017 shall be applicable". Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference for services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered service. If L-1 is not an MSE and MSE Service Provider (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, then 100% order quantity will be awarded to such MSE bidder subject to acceptance of L1 bid price. **This work is not splitable**
22. **Performance security deposit** : Performance security deposit @ 3% of the work order will be deposited by successful L-1 bidder after issuing the work order and same will be hold for warranty period . After completion for returned after completion of warranty period plus 60 days.
23. **Disputes and Jurisdiction**: - Any legal disputes arising out of any breach of contract pertaining to this tender shall be settled in the court of competent jurisdiction located within the city of Nagpur. Decision of Director will be final in all tenders. For any further clarification the contract personnel shall be the Incharge (Purchase & Stores), JNARDDC purchasejnarddcnagpur@gmail.com.(Mob : 8275534549)

आपका आभारी,

(ललित मोहन)
सचिव खरीद एवं भंडार

SCHEDULE OF WORK WITH BOQ AND PRICE BID

Price bid to TENDER no :Ref :03/JNARDDC/S&P/2023-24/T-17 dated

30 APR 2024

JAWAHARLAL NEHRU ALUMINIUM RESEARCH DEVELOPMENT & DESIGN CENTER .

RENOVATION OF TOILET (Director Chamber) IN JNARDDC (BOQ)

Please mention Bidder name		M/s			
Sr. No	DESCRIPTION	QTY	UNIT	RATE	TOTAL AMOUNT
SECTION - 1 : SUPPLY, FITTEMENT WITH LABOUR CHARGES AND EXECUTION OF ALL WORKS (Approx Area 3.0 X 1.3 Sq Mtr)					
1	Removing Cement Tiles, Or Marble Or Polished Shahabad Floor Or Dado Without Bed Concrete Including Stacking The Materials As Directed With All Leads, Lifts Etc. Completeas Directed By Engineer In Charge.	222.17	SQ Feet		
2	Removing Windows With Frames And Stacking The Materials As Directed With All Leads, Lifts Etc. Complete.As Directed By Engineer In Charge. (Size 6.9 X 2.7)	One JOB	Lumpsum		
3	Removing W.C.pans , Shower , urinal pans or wash hand basins with frame including disconnecting the sanitary and water supply connections, removing the same carefully and stacking the serviceable materials as and where directed including throwing the unserviceable materials outside etc complete	4	No		
4	Removing Gypsum board false ceiling with 12.5 mm thick Gypsum boards, the same carefully and stacking the serviceable materials as and where directed including throwing the unserviceable mateiasls outside etc.carefully and throwing out the refusal outside etc. complete.	74.09	Sq Ft		
5	Providing and fixing in position Gypsum board false ceiling with 12.5 mm thick Gypsum boards, screwed/ fixed to the under structure of suspended G.I.Grid constructed and suspended from the main ceiling consisting of ceiling sections of size 25x50 mm maximum center to center distance of 600 milli metr perimeter channel and intermediate channels at maximum center to center distance 1200 milimetre galvanized grid should be fixed to reinforced cemen concrete slab. The gypsum board should be fixed to galvanized iron grid with necessary screws. The boards should be taped and filled from underside to give smooth, seamless ceiling. The rate should include necessary additional ceiling sections and intermediate channels. Additional intermediate channels shouldbe fixed to straphangers for additional support to prevent strappingate very 1200 milimetre item to be competed in all respect including necessary sleeves for ducts finishing of joints cut outs, painting including labour ,material, lifts etc.all complete. (74.09	Sq Ft		
	Providing and fixing of Aluminium window with louvers (Powder coated) position. (as perL.S.1868/1982) with rectangular pipe having over all dimension Size -2.8 X 5.6 Sq Feet (as per client design)	01No	Lumpsum(Complete job)		
9	Providing and laying vitrified rustic matt stone finish tiles having size 605 mm to 1200 mm x 600 mm to 1200 mm of 8 to 10 mm thickness and confirming to IS.15622-2006 (GroupBla) of approved make, shade and pattern for flooring and wall in required position laid on a bed of 1:4 cement mortar including neat cement float,filling joints,curingand cleaning etc. complete	179.6	SQ Feet		
9	Providing and laying vitrified rustic matt stone finish tiles having size 605 mm to 600 mm x 600 mm to 1200 mm of 8 to 10 mm thickness and confirming to IS.15622-2006 (GroupBla) of approved make, shade and pattern for flooring and wall in required position laid on a bed of 1:4 cement mortar including neat cement float,filling joints,curingand cleaning etc. complete	42.57	SQ Feet		
f	Providing and laying in position for wash basin platform of telephone black /Amba White/ Catbary brown /Rubyred /Ocean Brown granite stone of approved shade and size 18 mm to 20 mm thick on bed 1:6 cement mortar including cement floats striking joints, pointing in C.M. 1:3 curing and cleaning etc. complete. (Size = 2.0 X 1.5)	One JOB	Lumpsum		
13	Providing fly ash brick masonry with conventional /I.S.type bricks in cement mortar 1:6 in superstructure including striking joints,raking out joints,watering and scaffolding etc. Complete (Full brick) (Size = 1.6 x2.7 Sq Ft)	One JOB	Lumpsum		
	Providing fly ash brick masonry with conventional /I.S.type bricks in cement mortar 1:6 in superstructure including striking joints,raking out joints,watering and scaffolding etc. Complete(Half brick) (Size = 2.7 x 1.9 Sq Ft)	One JOB	Lumpsum		
14	Providing internal cement plaster 12mm thick in single coat in cement mortar 1:5 with putty finish to concrete or brick surfaces, in all positions including scaffolding and curing etc. complete.	179.60	Sq Ft		
15	Providing and applying Two coats of wall care Putty on plastered surface and Ceiling and Walls to prepare surface even and smooth of approved make, etc complete.	74.09	Sq Ft		
16	Providing waterproof bedding for flooring of Bath and WC 25 mm thick in C.M.1:3 including using approved waterproofing compound in specified proportion as per manufacturers specifications for per bag of cement including leveing, curing and covering .	42.57	Sq Ft		
17	Providing waterproof plaster in W.C. and bath 12mm thick for dado in cement mortar 1:3 with neat finishing, floating using waterproofing compound at the rate of 1Kilogram .per bag of cement of approved make and manufacturer and curing etc.complete (and filling joints of Nahani trap and any outlet by property) etc. complete.	42.57	Sq Ft		
20	Providing and fixing washroom mirror (2.0 X 2.0 Sq Feet)	One JOB	Lumpsum		
23	Providing and fixing Of Upvc pipe line for Wall hung, Size360mmx360mmx575mm with flushvalve having flowrate upto6.0Litr/MinuteofJaqua r make including PVCsoilpipe ,ventpipe upto outside face of wall,100mmdiaPVC plug bend inlet pipe all fittings, cutting &making good walls,floor setcas directed by Engineer incharge including labour and all.	One JOB	LUMPSUM		
	SANITARY ACESSORIES (BRAND : JAQUAR MADE Only) (Supply and fixation with labour and all plumbing works of UPVC /CPUC pipe line) others brand bid will be rejected	QTY	Jaguar catalogou code		
24	THIN RIM TABLE TOP BASIN SIZE:495X395X1 50 MM SHAPE -RECTANGULAR	1	ALD-CHR-233N		
25	CONCEALED BODY FOR SINGLE LEVER BASIN MIXER WALL MOUNTED BUT WITHOUT EXPOSED PARTS	1	ALD-CHR-233N		
26	EXPOSED PART KIT OF SINGLE LEVER BASIN MIXER WALL MOUNTED CONSISTING OF OPERATING LEVER CARTRIDGE SLEEVE WALL FLANGE NIPPLE & SPOUT (COMPATIBLE WITH ALD-233N & ALD-235N)	1	KUP CHR-35233NKP M		
27	CLICK CLACK WASTE 32MM SIZE FULL THREAD WITH 130MM HEIGHT	1	ALD CHR-727L130		
28	BOTTLE TRAP (WITH INTERNAL PARTITION) 32MM SIZE WITH 300MM & 190MM LONG WALL CONNECTIONPIPES & WALL PIPES AND WALL FLANGE	1	ALD CHR-769L300X1 90		
29	AQUAMAX CONCEALED BODY OF THERMOSTATIC SHOWER MIXER WITH 3-WAY DIVERTER	1	ALD-CHR-683		
30	AQUAMAX EXPOSED PART KIT OF THERMOSTATIC SHOWER MIXER WITH 3-WAY DIVERTER (SUITABLE FOR ALD-683)	1	KUP CHR-35683KPM		
31	MAZE OVERHEAD SHOWER 200X200MM SQUARE SHAPE SINGLE FLOW (BODY & FACE PLATE STAINLESS STEEL WITH CHRC	1	OHS-CHR-1619		
32	SHOWER ARM 400X25X25MM SQUARE SHAPE FOR WALL MOUNTED SHOWERS WITH FLANGE	1	SHA CHR-455L400		

Sr. No	DESCRIPTION	QTY	UNIT	RATE	TOTAL AMOUNT
33	KUBIX PRIME BATH TUB SPOUT WITH WALL FLANGE	1	SPJ CHR-35429PM		
34	MAZE HAND SHOWER 95X95MM SQUARE SHAPE SINGLE FLOW (FACE PLATE STAINLESS STEEL & ABS BODY IN CHROME FINISH) WITH RUBIT CLEANING SYSTEM	1	HSH-CHR-1655		
35	FLEXIBLE TUBE 8MM DIA. & 1.5M LONG WITH NUTS	1	SHA CHR-549D8		
36	WALL OUTLET WITH SHOWER HOOK IN SQUARE SHAPE	1	SHA-CHR-566S		
37	ELENA PRIME STORAGE WATER HEATER 25 LITRE CAPACITY VERTICAL INSTALLATION	1	EPM-WHT-V025		
38	ANGULAR STOP COCK WITH WALL FLANGE	2	KUP CHR-35053PM		
39	RIMLESS BLIND INSTALLATION WALL HUNG WC WITH UF SOFT CLOSE SLIM SEAT COVER, HINGES AND ACCESSORIES SET, S	1	KUS WHT-35953BIUF SMPM		
40	METROPOLE FLUSH VALVE REGULAR 40MM SIZE (CONCEALED BODY) WITH EXPOSED SHUT OFF PROVISION & ROUND FLA	1	FLV-CHR-1093N		
41	HAND SHOWER (HEALTH FAUCET) WITH 8MM DIA 1 METER LONG FLEXIBLE TUBE AND WALL HOOK	1	ALD-CHR-573		
42	ANGULAR STOP COCK WITH WALL FLANGE	1	KUP CHR-35053PM		
43	OPTIMA SLIDING DR 8MM RT./LT 1300X2000MM	1	JSE-CHR OPTSDR1300SX		
	Total amount without GST				
	GST EXTRA (Please mention percentage only in column)				
	GST Amount				
	Total amount with GST				
	Note : Bidder have to quote the price for the brands mentioned in BoQ. No other brands will be accepted. For item where brand is not mentioned, only reputed brands will be accepted during execution of works				